



Drinking and/or well water analysis — ORDER

Laboratory
order nr:

**Samples will be received on Mon–Thu
at 8.00–15.30 (not on eves)**

Customer's billing and contact specifics

Name:		VAT number:	
Street address:		Delivery of results: <input type="checkbox"/> by email <input type="checkbox"/> by post	
Postal code:	Postal area:	Billing method (choose one): <input type="checkbox"/> e-invoicing <input type="checkbox"/> email <input type="checkbox"/> post	
		E-invoicing address: Broker ID:	
Phone number:		Invoice reference:	
Email address:		Contact person/advocate: Email address: Phone number:	
Customer's signature and clarification: <i>By signing this order I take responsibility for the correctness of the information provided. I am aware that the results are distributed according to my specifications and that all information I provide will be recorded also to the company's database.</i>			

Sample specifics

Sampler:	Date and time:	
Sampling site or sites, if several (addresses and/or other specific details):	Temperature	Laboratory nr
1.	°C	T
2.	°C	T
3.	°C	T
Sample was taken from <input type="checkbox"/> water pipe <input type="checkbox"/> ice cube/crush <input type="checkbox"/> well, directly	Water supply <input type="checkbox"/> dug well <input type="checkbox"/> fountain <input type="checkbox"/> else, what: <input type="checkbox"/> drilled well <input type="checkbox"/> river/lake	

Additional information (e.g. if payer different from customer; if results need to be delivered also to other parties; etc.)

I wish to receive a reminder of the need for a water quality follow-up after three (3) years.
Note! The reminding service only applies to individuals/households, and does not oblige the customer in any way.

Results may be used for the purposes of statistical surveys.

Information will be recorded onto the company's client register. Register descriptions in accordance with the Personal Data Act are available from the company, address below. In the event of damage, compensation is limited to the value of the performance.

LUVYLab Ltd.
Länsi-Louhenkatu 31, P.O.Box 51, 08101 LOHJA
phone: 019 323 895
laboratorio@luvylab.fi / toimisto@luvylab.fi
www.luvylab.fi
VAT number: 2940757-6

Choose the evaluation criteria for the sample based on the intended use of the water!

STM 1352/2015 2 § sekä STM 683/2017 <input type="checkbox"/> Water used in public or commercial activity <input type="checkbox"/> Food processing facility <input type="checkbox"/> Tank / Container / Ship <input type="checkbox"/> ≥ 50 consumers/day delivering water supply	STM 401/2001 1 § <input type="checkbox"/> Water used by a single household <input type="checkbox"/> Small-scale commercial activity <input type="checkbox"/> Small-scale handling of foodstuffs <input type="checkbox"/> < 50 consumers/day delivering water supply
--	--

Set packages				Complimentary analyses			
Sample number	1	2	3	Sample number	1	2	3
Utility analysis for a dug well				<i>Clostridium perfringens</i>			
Utility analysis for a drilled well				<i>Legionella pneumofila</i>			
Extended utility analysis for a (new) drilled well				<i>Pseudomonas aeruginosa</i>			
Compendious well water analysis				<i>Salmonella spp.</i>			
Microbiological analysis							
Corrosivity characteristics analysis				Sample number	1	2	3
Small business package (small waterworks STM 401)				Aluminum (Al)			
Primary production, irrigation water				Boron (B)			

If no package is suitable, choose analyses from lists.

Sample number	1	2	3	Sample number	1	2	3
Heterotrophic bacteria 22 °C, 68 h				Chromium (Cr)			
Heterotrophic bacteria 37 °C, 44 h				Copper (Cu)			
<i>Escherichia coli</i>				Lead (Pb)			
Coliform bacteria				Magnesium (Mg)			
Faecal enterococci				Mercury (Hg)			
Alkalinity				Nickel (Ni)			
Ammonium				Selenium (Se)			
Appearance				Zinc (Zn)			

				Other analyses (to be agreed upon)			
Sample number	1	2	3	Sample number	1	2	3
Arsenic (As)							
Chemical oxygen demand COD _{Mn} / KMnO ₄							
Chloride (Cl)							
Colour							
Conductivity							
Fluoride (F)							
Iron (Fe)							
Manganese (Mn)							
Nitrate							
Nitrite							
Odour							
Opacity							
pH							
Radon (Rn)							